

Detailed Design Document - Struts FSA Financial Partners Portal -Release 2

12/10/2002

Author: Aimee Byrd

Last Modified By: Aimee Byrd

Last Updated: 12/10/2002 12:24 PM

Version: 1.0

1.1 Community Search (community.jsp)

1.1.1 General Attributes

File Name	community.jsp	
Enhancements (not detailed)	- Improved pagination on results page.	
	- Added the following columns of information to	
	results page: Id, City, State, Zip	
Description	This will allow users to locate organizations within	
_	the financial partners community. They will consist	
	of GA's, lenders, servicers, FFEL Schools, Direct	
	Loan Schools, SGA's, and trade associations.	
Navigation Components Used	Left Navigation; Header; Right Navigation;	
	Footer	
Points of Entry	Left Nav (left.jsp); Site Map (sitemap.jsp)	

1.1.2 Data Elements

Form Name	commSearch				
Focus					
Action	/fp/comm	/fp/commsearch/commSearch.activity			
Data Element Name	Display Required? Data Element Min Max Pages Mode Type Length Ength Spanned				
query	RW	N	Textbox		
keyword			Hidden		
category					
letter					

1.1.3 <u>Control-Action-Response</u>

HTML Control	Action (event)	Response
Links		
Guaranty Agencies	Hyperlink (link to an action and putting the category in the query string).	The results page is shown (commresults.jsp) with only communities from that category.
Lenders	Hyperlink (link to an action and putting the category in the query string).	The results page is shown (commresults.jsp) with only communities from that category.



Servicers	Hyperlink (link to an action and putting the category in the query string).	The results page is shown (commresults.jsp) with only communities from that category.
Trade Associations	Hyperlink (link to an action and putting the category in the query string).	The results page is shown (commresults.jsp) with only communities from that category.
State Grant Agencies	Hyperlink (link to an action and putting the category in the query string).	The results page is shown (commresults.jsp) with only communities from that category.
FFEL Schools	Hyperlink (link to an action and putting the category in the query string).	The results page is shown (commresults.jsp) with only communities from that category.
Secondary Markets	Hyperlink (link to an action and putting the category in the query string).	The results page is shown (commresults.jsp) with only communities from that category.
Direct Loan Schools	Hyperlink (link to an action and putting the category in the query string).	The results page is shown (commresults.jsp) with only communities from that category.
ALL	Hyperlink (link to an action and putting all categories in the query string).	The results page is shown (commresults.jsp) with communities from all categories.
A	Hyperlink (link to an action and putting the letter in the query string).	The results page (commresults.jsp) is shown with only communities that begin with that letter.
В	Hyperlink (link to an action and putting the letter in the query string).	The results page (commresults.jsp) is shown with only communities that begin with that letter.
С	Hyperlink (link to an action and putting the letter in the query string).	The results page (commresults.jsp) is shown with only communities that begin with that letter.



D	Hyperlink (link to an action and putting the letter in the query string).	The results page (commresults.jsp) is shown with only communities that begin with that letter.
E	Hyperlink (link to an action and putting the letter in the query string).	The results page (commresults.jsp) is shown with only communities that begin with that letter.
F	Hyperlink (link to an action and putting the letter in the query string).	The results page (commresults.jsp) is shown with only communities that begin with that letter.
G	Hyperlink (link to an action and putting the letter in the query string).	The results page (commresults.jsp) is shown with only communities that begin with that letter.
Н	Hyperlink (link to an action and putting the letter in the query string).	The results page (commresults.jsp) is shown with only communities that begin with that letter.
1	Hyperlink (link to an action and putting the letter in the query string).	The results page (commresults.jsp) is shown with only communities that begin with that letter.
J	Hyperlink (link to an action and putting the letter in the query string).	The results page (commresults.jsp) is shown with only communities that begin with that letter.
K	Hyperlink (link to an action and putting the letter in the query string).	The results page (commresults.jsp) is shown with only communities that begin with that letter.
L	Hyperlink (link to an action and putting the letter in the query string).	The results page (commresults.jsp) is shown with only communities that begin with that letter.




М	Hyperlink (link to an	The results page
	action and putting the	(commresults.jsp) is
	letter in the query	shown with only
	string).	communities that begin with that letter.
N	Hyperlink (link to an	The results page
IN	action and putting the	(commresults.jsp) is
	letter in the query	shown with only
	string).	communities that begin
	O 7	with that letter.
0	Hyperlink (link to an	The results page
	action and putting the	(commresults.jsp) is
	letter in the query	shown with only
	string).	communities that begin with that letter.
Р	Hyperlink (link to an	The results page
	action and putting the	(commresults.jsp) is
	letter in the query	shown with only
	string).	communities that begin
		with that letter.
Q	Hyperlink (link to an	The results page
	action and putting the	(commresults.jsp) is
	letter in the query string).	shown with only communities that begin
	String).	with that letter.
R	Hyperlink (link to an	The results page
	action and putting the	(commresults.jsp) is
	letter in the query	shown with only
	string).	communities that begin
		with that letter.
S	Hyperlink (link to an	The results page
	action and putting the	(commresults.jsp) is
	letter in the query string).	shown with only communities that begin
	Junig).	with that letter.
Т	Hyperlink (link to an	The results page
	action and putting the	(commresults.jsp) is
	letter in the query	shown with only
	string).	communities that begin
		with that letter.
U	Hyperlink (link to an	The results page
	action and putting the	(commresults.jsp) is
	letter in the query string).	shown with only communities that begin
	Juliy).	with that letter.
		with that lotter.



		,
V	Hyperlink (link to an action and putting the letter in the query string).	The results page (commresults.jsp) is shown with only communities that begin with that letter.
W	Hyperlink (link to an action and putting the letter in the query string).	The results page (commresults.jsp) is shown with only communities that begin with that letter.
X	Hyperlink (link to an action and putting the letter in the query string).	The results page (commresults.jsp) is shown with only communities that begin with that letter.
Υ	Hyperlink (link to an action and putting the letter in the query string).	The results page (commresults.jsp) is shown with only communities that begin with that letter.
Z	Hyperlink (link to an action and putting the letter in the query string).	The results page (commresults.jsp) is shown with only communities that begin with that letter.

1.1.4 Detailed Mock-Up



#	Type	Description	Link
1	Text	Community Members	
		Header	
2	Text	Introductory paragraph	
3	Text box	Community Locator Query	
4	Image	Go Image	The results page (commresults.jsp) is shown with results related to query.
5	Text	Paragraph explaining	
		Community Locator	
6	Dropdown	Categories to search on	
7	Dropdown	Letter to search on	



8	Image	Go Image	The results page (commresults.jsp) is shown with results from category and letter chosen.
9	Dropdown	Categories to search on	
10	Text box	Query to search on	
11	Image	Go Image	The results page (commresults.jsp) is shown with results from category and query entered.
12	Text	Paragraph explaining searching options	•

Key for Detailed Mock-Up

Туре	Description	Example
Image	A solid-border text box with an 'x' through it	
Text Header	A solid-border text box	2
Paragraph	A dashed-border text box	3
Link	A dotted-border text box	4
Bulleted Item	A type appropriate text box, with a bullet before the item number	• 5
Text Box	A grey solid-border text box	6
Button	A blue solid-border text box	7
Dropdown	A grey dashed-border text box	8

1.1.5 Action Form Class

1.1.5.1 General Attributes

File Name	commSearchForm.java		
Package Name	gov.ed.sfa.ita.struts.commsearch		
Assumptions			
Description	This form class will do the 'gets' and 'sets' for		
	the fields within the community searching form.		
Import Classes	javax.servlet.http.*		
	javax.servlet.*		
	org.apache.struts.action.*		

1.1.5.2 Variables

Name	Туре	Description
intSearchType	Integer	This will hold the type of searching a user is trying to do (e.g. alpha=1, category=2, keyword=3)
strSearchParam	String	This is the parameter a user is searching on.

1.1.5.3 Methods

Function

Function Name	Return	Arguments	Usage Description
Public Integer getSearchType()	this.intSearchType		Gets the integer for search type.
Public String getSearchParam	this.strSeachParam		Gets the string containing the search parameter.
Public void setSearchType	This.intSearchType	Integer intSearchType	Sets the search type
Public void setSearchParam	This.strSearchParam	String strSearchParam	Sets the search parameter.

1.1.6 Action Class

1.1.6.1 General Attributes

File Name	commSearchAction.java	
Package Name	gov.ed.sfa.ita.struts.commsearch	



Assumptions		
Description	Action class to handle the retrieval of search	
	results.	
Import Classes	java.io.*; javax.servlet.http.*; javax.servlet.*;	
	org.apache.struts.action.*;	
	gov.ed.sfa.ita.struts.StrutsConstants; gov.ed.sfa.ita.email.*; gov.ed.sfa.ita.logging.*;	

1.1.6.2 Methods

Function

Function Name	Usage Description
getsRecs	This will call a class that will retrieve the data based upon the
	user's search.

1.1.7 <u>Struts Configuration File (struts-config.xml)</u>

1.1.7.1 Action Mappings

Note: see here for more details.

< A	ACTION>	TAG			
At	tributes	Path	Type	Name	Validate?
1		/commsearch	gov.ed.sfa.ita.struts.comms	commSeachForm	False
			earch.CommSearchAction		

Note: these are not global forwards! These are within the action.

<F	<forward> TAG</forward>				
Att	tributes→	Name	Path	<other></other>	
1		default	/fp/commsearch/community.jsp		
2		results	/fp/commsearch/commresults.jsp		
3		alpharesults	/fp/commsearch/alpharesults.jsp		
4		keywordresults	/fp/commsearch/kwordresults.jsp		

Last Updated: 12/10/2002 12:24 PM

1.1.7.2 Form Bean Definition

_ <f< th=""><th colspan="3"><form-beans> TAG</form-beans></th></f<>	<form-beans> TAG</form-beans>		
At	tributes >	Name	Type
1		commSeachForm	gov.ed.sfa.ita.struts.commsearch.CommSearchForm

1.2 Search Results (srchresults.jsp)

1.2.1 General Attributes

File Name	srchresults.jsp	
Enhancements (not detailed)	7	
	capabilities.	
Description	This page will provide results from a search.	
Navigation Components Used	Left Navigation; Header; Right Navigation;	
	Footer	
Points of Entry	Search (search.jsp); Advanced Search	
	(advsearch.jsp)	


1.2.2 Data Elements

Form Name	searchFo	searchForm				
Focus	query					
Action	/fp/fpseare	ch.activity?	action=results			
Data Element Name	Display Mode (RW/RO)	Required?	Data Element Type	Min Length	Max Length	Pages Spanned
query	RW	Υ	Hidden			
threshold		Υ	Hidden			
numresults			Hidden			
SummaryCB			Hidden			
DBs			Hidden			
Pubdate			Hidden			
Postdate			Hidden			

1.2.3 Control-Action-Response

HTML Control Links	Action (event)	Response
Retry	Click	User taken back to advanced search page (advsearch.jsp).
Dept of ED	Click	User taken to Dept of ED site (www.ed.gov).

1.2.4 <u>Detailed Mock-Up</u>



#	Type	Description	Link
1	Text	Search Results Header	
2	Text	Introductory Information	
3	Text/Links	Search Results	Links to results
4	Link	Reference on where to find	Dept of ED link
		information	(www.ed.gov)

Key for Detailed Mock-Up

Туре	Description	Example
Image	A solid-border text box with an 'x' through it	
Text Header	A solid-border text box	2
Paragraph	A dashed-border text box	3



Link	A dotted-border text box	4
Bulleted Item	A type appropriate text box, with a bullet before the item number	• 5

1.2.5 Action Form Class

1.2.5.1 General Attributes

File Name	searchForm.java	
Package Name	gov.ed.sfa.ita.struts.search	
Assumptions		
Description	This form class will do the 'gets' and 'sets' for	
_	the form page.	
Import Classes	javax.servlet.http.*	
_	javax.servlet.*	
	org.apache.struts.action.*	

1.2.5.2 Variables

See ITA portlet documentation.

1.2.5.3 Methods

See ITA portlet documentation.

1.2.6 Action Class

1.2.6.1 General Attributes

File Name	searchAction.java	
Package Name	gov.ed.sfa.ita.struts.search	
Assumptions		
Description	Action class to handle the retrieval of search	
	results.	
Import Classes	gov.ed.sfa.ita.logging.*;	
	gov.ed.sfa.ita.struts.*;	
	org.apache.struts.action.*;	
	org.apache.struts.util.*;	



java.io.*; java.util.*;
javax.servlet.*; javax.servlet.http.*;

1.2.6.2 Methods

See ITA portlet documentation.

1.2.7 <u>Struts Configuration File (struts-config.xml)</u>

1.2.7.1 Action Mappings

Note: see here for more details.

<action> TAG</action>				
Attributes	Path	Туре	Name	Validate?
1	/fp/fpsearch	gov.ed.sfa.ita.struts.search. SearchAction	searchForm	False

Note: these are not global forwards! These are within the action.

_ <f< th=""><th colspan="4"><forward> TAG</forward></th></f<>	<forward> TAG</forward>			
Att	tributes→	Name	Path	<other></other>
1		default	/fp/search/advanced.jsp	
2		advanced	/fp/search/advanced.jsp	
3		results	/fp/search/srchresults.jsp	
4		suggest	/fp/search/listsuggest.jsp	
5		noresults	/fp/search/noresults.jsp	

1.2.7.2 Form Bean Definition

<f< th=""><th>ORM-BEAN</th><th>IS> TAG</th><th></th></f<>	ORM-BEAN	IS> TAG	
At	tributes→	Name	Туре
1		searchForm	gov.ed.sfa.ita.struts.search.SearchForm

1.3 Calendar (calendar.jsp)

1.3.1 General Attributes

File Name	calendar.jsp
Assumptions	- Calendar entries may be linkable or non-



	linkable.	
	- Internal links should open in the same window;	
	external links should open in new window.	
	- The number "1" on the calendar is highlighted	
	when clicked.	
Description	This will allow users to see current conferences,	
_	training, and deadlines in a calendar type view.	
Navigation Components Used	Left Navigation; Header; Footer	
Points of Entry	Left Navigation; Site Map	

1.3.2 Data Elements

Form Name						
Focus						
Action						
Data Element Name	Display Mode (RW/RO)	Required?	Data Element Type	Min Length	Max Length	Pages Spanned


1.3.3 Control-Action-Response

HTML Control Links	Action (event)	Response
Next Month (>>)	Click	User is taken to a view of that month
Previous Month (<<)	Click	User is taken to the previous month
Deadlines	Click	Refreshes page with a view of deadlines
Training	Click	Refreshes page with a view of training events
Conferences	Click	Refreshes page with a view of conferences
Today	Click	Will take the user back to the current day
Any Day of the Month	Click	Will show the user the events, deadlines, or training for that particular day.
Calendar Entry	Click	URL for calendar entry



fpportal@ed.gov	Click	Opens user's default
		mail tool, so community
		members can inform the
		CM team of new events.

1.3.4 Detailed Mock-Up



#	Type	Description	Link
1	Text	Page Header	
2	Text	Conferences Link	Action will take
			user to page of
			all conferences
3	Text	Deadlines Link	Action will take
			user to page of
			all deadlines.
4	Text	Training Link	Action will take
			user to page of
			all training
			events.



5	Text	Calendar Area	Next Month, Previous Month, and days will be clickable.
6	Text	Dates of entries	
7	Text	All entries related to the selected category	May or may not link to internal/external page
8	Text	Link to fpportal@ed.gov	Opens default mail tool

Key for Detailed Mock-Up

Туре	Description	Example
Image	A solid-border text box with an 'x' through it	1
Text Header	A solid-border text box	2
Paragraph	A dashed-border text box	3
Link	A dotted-border text box	4
Bulleted Item	A type appropriate text box, with a bullet before the item number	• 5

1.3.5 Action Class

1.3.5.1 General Attributes

File Name	calendarAction.java		
Package Name	gov.ed.sfa.ita.struts.calendar		
Assumptions			
Description	Action class to handle the retrieval of calendar		
	data.		
Import Classes	gov.ed.sfa.ita.logging.*;		
	gov.ed.sfa.ita.exception.*;		
	gov.ed.sfa.ita.struts.StrutsConstants;		
	org.apache.struts.action.*;		



java.util.*; java.io.*;
javax.servlet.*; javax.servlet.http.*;

1.3.5.2 Methods

See ITA portlet documentation.

1.3.6 Struts Configuration File (struts-config.xml)

1.3.6.1 Action Mappings

Note: see here for more details.

<act< th=""><th colspan="5"><action> TAG</action></th></act<>	<action> TAG</action>				
Attributes		Path	Туре	Name	Validate?
1		/fp/calendar	gov.ed.sfa.ita.struts.calen dar.CalendarAction		

Note: these are not global forwards! These are within the action.

- <for< th=""><th colspan="5"><forward> TAG</forward></th></for<>	<forward> TAG</forward>				
Attribu	ıtes→	Name	Path	<other></other>	
1		calendar	/fp/calendar/calendar.jsp		

1.4 Survey (survey.jsp)

General Attributes 1.4.1

File Name	survey.jsp	
Enhancements (not detailed)	- FP & Students surveys will go to separate	
	mailboxes.	
	- FP surveys will go to fpportal@ed.gov	
Description	This will allow users to fill out a survey that will	
	provide site feedback.	
Navigation Components Used	Left Navigation; Header; Footer	
Points of Entry	Home Page (index.jsp); Site Map (sitemap.jsp)	

^{*} All other data captured in this document will remain the same as R1 for the Survey portlet.

1.5 Feedback (feedback.jsp)

1.5.1 General Attributes

File Name	feedback.jsp	
Enhancements (not detailed)	- FP feedbacks will go to FP mailbox, not a	
	shared mailbox.	
	- Date submitted will be recorded in the db.	
	- FP feedbacks will go to fpportal@ed.gov	
Description	This will allow users to fill out a simple feedback	
	form.	
Navigation Components Used	Left Navigation; Header; Footer	
Points of Entry	Survey (survey.jsp)	

^{*} All other data captured in this document will remain the same as R1 for the Feedback portlet.

1.6 Headlines (headlines.jsp)

1.6.1 General Attributes

File Name	headlines.jsp	
Enhancements (not detailed)	- Headlines may be linkable or non-linkable.	
	- Internal links should open in the same window;	
	external links should open in new window.	
	- FP & Students headlines will be stored in	
	different tables.	
Description	This page is displayed on the home page when	
	headlines need to be made.	
Navigation Components Used	Left Navigation, Header, Footer	
Points of Entry	Home Page (index.jsp) or site url	

1.6.2 <u>Data Elements</u>

Form Name						
Focus						
Action						
Data Element Name	Display Mode (RW/RO)	Required?	Data Element Type	Min Length	Max Length	Pages Spanned

1.6.3 Control-Action-Response

HTML Control Links	Action (event)	Response
Headlines	Click	User taken to corresponding headline page, if applicable.

1.6.4 Detailed Mock-Up

1	A	В	C	D
	2			
2				
3				
4				

#	Type	Description	Link
1	Text	Headlines Header	
2	Text	Headline 1-n (linkable/non-	If link, will take
		linkable)	user to
			corresponding
			headline
			information

Key for Detailed Mock-Up

Туре	Description	Example



Image	A solid-border text box with an 'x' through it	1
Text Header	A solid-border text box	2
Paragraph	A dashed-border text box	3
Link	A dotted-border text box	4
Bulleted Item	A type appropriate text box, with a bullet before the item number	• 5

1.6.5 <u>Headlines Class</u>

1.6.5.1 General Attributes

File Name	Headlines.java
Package Name	gov.ed.sfa.ita.struts.headlines
Assumptions	
Description	Gets the Headlines from the db
Import Classes	import gov.ed.sfa.ita.struts.headlines.*; import gov.ed.sfa.ita.struts.access.*;
	import java.io.*;
	import java.util.*;
	import javax.servlet.jsp.*;